

Safety Data Sheet

Issue Date: 26-Sep-2013 Revision Date: 11-Feb-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name FiberFresh WaterSolv 2

Other means of identification

SDS # SVM-087

Product Code 23634

Formula code F1140B

Recommended use of the chemical and restrictions on use

Recommended Use Carpet Cleaner.

Details of the supplier of the safety data sheet

Manufacturer Address

ServiceMaster ™ Clean 3839 Forest Hill Irene Rd. Memphis, TN, USA. 38125

Emergency Telephone Number

Company Phone Number 1-80
Emergency Telephone (24 hr) INF

1-800-756-5656 (ServiceMaster™ Clean) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceClear yellow liquidPhysical StateLiquidOdorCedar

Classification

Serious eye damage/eye irritation Category 1

Hazards Not Otherwise Classified (HNOC)

Causes mild skin irritation

Signal Word Danger

Hazard Statements

Causes serious eye damage



SVM-087 - FiberFresh WaterSolv 2 Revision Date: 11-Feb-2014

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Di(ethylene glycol) ethyl ether	111-90-0	5-10
Tetrasodium EDTA	64-02-8	1-5
1-Methyl-2-pyrrolidone	872-50-4	1-5
Tetrapotassium pyrophosphate	7320-34-5	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Immediately flush with cool water for 15 minutes while removing contaminated clothing and

shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water.

Obtain medical attention. Never give anything by mouth if victim is unconscious, or is

convulsing.

Most important symptoms and effects

Symptoms Eye: May cause irritation.

Skin: May cause irritation. May be absorbed through the skin.

Inhalation: May cause respiratory tract irritation.

Ingestion: May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, water spray, foam, water, or carbon dioxide.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products May include and are not limited to oxides of carbon, phosphorous, nitrogen, and sulfur.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed

with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier

for advice.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Keep out of the reach of children. Wear eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a closed container away from incompatible materials.

Incompatible Materials Acids, Oxidizers, Aluminum.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Appropriate engineering controls

Engineering Controls General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical splash goggles.

Skin and Body Protection Rubber gloves. Confirm with a reputable supplier first.

Respiratory Protection Not normally required if good ventilation is maintained.

General Hygiene Considerations Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear yellow liquid Odor Cedar

Color Light yellow Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 9.0-10.0

Melting Point/Freezing Point Not determined Not determined None

Flash Point None

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Not determined

Water Solubility Completely miscible Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Water thin **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Density: pounds per gallon @ 25°C 8.60 +/- 0.05

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions. Do not mix with anything but water

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids, Oxidizers, Aluminum.

Hazardous Decomposition Products

May include and are not limited to oxides of carbon, oxides of phosphorous, oxides of nitrogen, oxides of sulfur when heated to decomposition.

Revision Date: 11-Feb-2014

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes mild skin irritation. May be absorbed through the skin.

Inhalation May cause irritation if inhaled.

Ingestion May cause stomach distress, nausea or vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Di(ethylene glycol) ethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 4200 μL/kg (Rabbit)= 6 mL/kg (Rat)	> 5240 mg/m³ (Rat) 4 h
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
1-Methyl-2-pyrrolidone 872-50-4	= 3598 mg/kg (Rat)	= 2500 mg/kg (Rat) > 5000 mg/kg (Rabbit)	= 3.1 mg/L (Rat) 4 h
Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Chronic toxicity Prolonged or repeated exposure can cause drying, de-fatting and dermatitis.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Di(ethylene glycol) ethyl		11400 - 15700: 96 h		3940 - 4670: 48 h Daphnia
ether		Oncorhynchus mykiss mg/L		magna mg/L EC50
111-90-0		LC50 flow-through 11600 -		
		16700: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through 10000: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 19100 - 23900:		
		96 h Lepomis macrochirus		
		mg/L LC50 flow-through		
		13400: 96 h Salmo gairdneri		
		mg/L LC50 flow-through		
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis		610: 24 h Daphnia magna
64-02-8	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
		static 59.8: 96 h Pimephales		
		promelas mg/L LC50 static		
1-Methyl-2-pyrrolidone	500: 72 h Desmodesmus	832: 96 h Lepomis		4897: 48 h Daphnia magna
872-50-4	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
		static 4000: 96 h Leuciscus		
		idus mg/L LC50 static 1072:		
		96 h Pimephales promelas		
		mg/L LC50 static 1400: 96 h		
		Poecilia reticulata mg/L		
		LC50 static		
Tetrapotassium		100: 96 h Oncorhynchus		100: 48 h water flea mg/L
pyrophosphate		mykiss mg/L LC50		EC50
7320-34-5				

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Di(ethylene glycol) ethyl ether 111-90-0	-0.8
1-Methyl-2-pyrrolidone 872-50-4	-0.46

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

SVM-087 - FiberFresh WaterSolv 2 Revision Date: 11-Feb-2014

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

DSL Listed NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

However, if this product is utilized for routine janitorial maintenance, it is exempted from this section, as stated in 40 CFR 372.382

(c) Uses Exemptions

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Di(ethylene glycol) ethyl ether - 111-90-0	111-90-0	5-10	1.0
1-Methyl-2-pyrrolidone - 872-50-4	872-50-4	1-5	1.0

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
1-Methyl-2-pyrrolidone - 872-50-4	Developmental

U.S. State Right-to-Know Regulations

Chemical N	lame New .	Jersey Massachu	isetts Pennsylv	ailia

Di(ethylene glycol) ethyl ether 111-90-0	Х		Х
1-Methyl-2-pyrrolidone	X	X	X
872-50-4			

16. OTHER INFORMATION

Health Hazards Flammability Instability **Special Hazards** NFPA Not determined

Health Hazards Flammability Physical Hazards Personal Protection HMIS Not determined Not determined Not determined Not determined

Issue Date: 26-Sep-2013 11-Feb-2014 **Revision Date: Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet