

Safety Data Sheet

Issue Date: 06-Dec-2010 Revision Date: 19-Dec-2018 Version 1

1. IDENTIFICATION

Product Identifier

Product Name FloorStar Grout Piranha

Other means of identification

SDS # SVM-067

Product Code 32694

Formula code F1191B

UN/ID No UN3266

Recommended use of the chemical and restrictions on use

Recommended Use Floor care.

Details of the supplier of the safety data sheet

Manufacturer Address

ServiceMaster [™] Clean 3635 Knight Road Ste 7 Memphis, TN, USA. 38118

Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr) 1-800-756-5656 (ServiceMaster™ Clean) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear amber liquid Physical State Liquid Odor Moderate glycol ether with lemon

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage



SVM-067 - FloorStar Grout Piranha Revision Date: 16-Dec-2013

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	5-10
Diethylene Glycol Monobutyl Ether	112-34-5	5-10
Sodium hydroxide	1310-73-2	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

Skin Contact Immediately flush with cool water for 15 minutes while removing contaminated clothing and

shoes. Discard or wash well before reuse. Immediately call a poison center or

doctor/physician.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

Ingestion Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water.

Obtain medical attention. Never give anything by mouth if victim is unconscious, or is

convulsing.

Most important symptoms and effects

SVM-067 - FloorStar Grout Piranha Revision Date: 16-Dec-2013

Symptoms Eye: May cause severe irritation or eye damage.

Skin: May cause severe irritation or skin burns. May be absorbed through the skin.

Inhalation: May cause respiratory tract irritation.

Ingestion: Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products May include and are not limited to oxides of carbon, sulfur.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-UpBefore attempting clean up, refer to hazard data given above. Small spills may be absorbed

with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier

for advice.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin

thoroughly after handling. Use personal protection recommended in Section 8. Keep out of

the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a closed container away from incompatible materials. Store locked up.

Incompatible Materials Acids, Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	-
		(vacated) S*	
		` S* [']	
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceilina: 2 ma/m ³

Appropriate engineering controls

Engineering Controls General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical splash goggles.

Skin and Body Protection Rubber gloves. Confirm with a reputable supplier first.

Respiratory Protection Not normally required if good ventilation is maintained.

General Hygiene Considerations Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Appearance Clear amber liquid Odor Moderate glycol ether

with lemon

Odor Threshold Color Clear amber Not determined

Remarks • Method Property Values

12.8-13.5 Hq **Melting Point/Freezing Point** Not determined Boiling Point/Boiling Range Not determined Flash Point Not determined

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not applicable Not applicable **Lower Flammability Limit Vapor Pressure** Not determined **Vapor Density** Not determined

Specific Gravity 1.005 - 1.020 @ 25°C **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Kinematic Viscosity Not determined **Dynamic Viscosity** Water thin **Explosive Properties** Not determined

Oxidizing Properties

Not determined **Density** Density: pounds per gallon @ 25°C 8.449 +/- 0.050

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions. Do not mix with other chemicals

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids, Oxidizers.

Hazardous Decomposition Products

May include and are not limited to oxides of carbon or sulfur when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes eye damage.

Skin Contact Causes severe skin burns.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg	= 2.21 mg/L (Rat) $4 h = 450 ppm$
111-76-2		(Rabbit)	(Rat) 4 h
Diethylene Glycol Monobutyl Ether	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
112-34-5			
Sodium hydroxide	-	= 1350 mg/kg (Rabbit)	-
1310-73-2			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Revision Date: 16-Dec-2013

Chronic toxicity

Prolonged or repeated exposure can cause drying, de-fatting and dermatitis.

2-Butoxyethanol may be absorbed through the skin in toxic amounts if contact is repeated

and prolonged; may cause blood

damage based on published data; these effects have not been observed in humans.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
111-76-2		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50
Diethylene Glycol Monobutyl	100: 96 h Desmodesmus	1300: 96 h Lepomis		2850: 24 h Daphnia magna
Ether	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50 100: 48 h
112-34-5		static		Daphnia magna mg/L EC50
Sodium hydroxide		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
2-Butoxyethanol	0.81
111-76-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic
1310-73-2	Corrosive

SVM-067 - FloorStar Grout Piranha Revision Date: 16-Dec-2013

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) 1000 lbs for Sodium hydroxide

<u>IATA</u>

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

TDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

DSL Listed NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\textbf{\textit{DSL/NDSL}} \cdot \textit{Canadian Domestic Substances List/Non-Domestic Substances List}$

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

SARA 313

However, if this product is utilized for routine janitorial maintenance, it is exempted from this section, as stated in 40 CFR 372.382 (c) Uses Exemptions

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	5-10	1.0
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	5-10	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 (1-5)	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol	X	X	X
111-76-2			
Diethylene Glycol Monobutyl Ether	X		X
112-34-5			
Sodium hydroxide	X	X	X
1310-73-2			

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards200CorHMISHealth HazardsFlammabilityPhysical HazardsPersonal ProtectionNot determinedNot determinedNot determinedNot determined

Issue Date:06-Dec-2010Revision Date:19-Dec-2018Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet