Brighton Professional[™] Pink Lotion Hand Soap



Version 1.2	Revision Date: 02/10/2015		SDS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	1. IDENTIFICATION			
Produ	ct name	:	Brighton Profession	onal™ Pink Lotion Hand Soap
Produ	ct code	:	18497	
Manut	facturer or supplier's	deta	ails	
Comp	any name of supplier	:	STAPLES CONT	RACT & COMMERCIAL, INC.
Addres	SS	:	500 Staples Drive Framingham, MA	
Telepł	none	:	1-888-322-0912	
Emerg	ency telephone	:	1-888-322-0912	
Recor	nmended use of the c	hen	nical and restriction	ons on use
Recon	nmended use	:	Skin-care	
Restrie	ctions on use	:	consumers and or foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and or intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ad by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture



Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.	
If swallowed	 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 	
Most important symptoms and effects, both acute and delayed	None known.	
Protection of first-aiders	No special precautions are necessary for first aid respon	ders.
Notes to physician	Treat symptomatically and supportively.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Sulfur oxides Carbon oxides Metal oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.



Version 1.2	Revision Date: 02/10/2015		SDS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
			Remove undama so. Evacuate area.	ged containers from fire area if it is safe to do
	cial protective equipment ire-fighters	:	necessary.	ed breathing apparatus for firefighting if rective equipment.
SECTIO	N 6. ACCIDENTAL RELE	ASI	EMEASURES	
prot	sonal precautions, ective equipment and ergency procedures	:	Follow safe handl equipment recom	ing advice and personal protective mendations.
Env	ironmental precautions	:	Prevent further lea Prevent spreading barriers). Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages red.
	Methods and materials for containment and cleaning up		For large spills, pro- containment to kee can be pumped, so container. Clean up remaining absorbent. Local or national of disposal of this m employed in the co determine which to Sections 13 and 1	a absorbent material. Tovide diking or other appropriate the material from spreading. If diked material atore recovered material in appropriate and materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: l	Use only with adequate ventilation.
Advice on safe handling	р Т	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage		Keep in properly labeled containers. Store in accordance with the particular national regulations.



Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014
Mater	rials to avoid	: Do not store wit Strong oxidizing	h the following product types: g agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

Personal protective equipment

Respiratory protection		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection		
Remarks	:	Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Skin and body protection	:	Skin should be washed after contact.
Hygiene measures	:	Ensure that eye flushing systems and safety showers are



Version 1.2	Revision Date: 02/10/2015	MSDS Number:Date of last issue: 12/02/201431606-00003Date of first issue: 11/24/2014
		located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
SECTION	I 9. PHYSICAL AND CHI	EMICAL PROPERTIES
Арре	earance	: liquid
Colo	r	: opalescent, pink
Odor		: floral
Odor	Threshold	: No data available
рН		: 4.8 - 6.2
Melti	ng point/freezing point	: No data available
Solid	lification / Setting point	2.9 °C
Initia rango	l boiling point and boiling e	: 97.00 °C
Flash	n point	: > 100 °C
Evap	ooration rate	: No data available
Flam	mability (solid, gas)	: Not applicable
Uppe	er explosion limit	: No data available
Lowe	er explosion limit	: No data available
Vapo	or pressure	: No data available
Relat	tive vapor density	: No data available
Dens	sity	: 1.00 g/cm3
	bility(ies) ater solubility	: soluble
	tion coefficient: n- nol/water	: Not applicable
Auto	ignition temperature	: No data available
Decc	omposition temperature	: The substance or mixture is not classified self-reactive.
Visco Vis	osity scosity, kinematic	: 3,000 - 16,000 mm2/s (20 °C)



Versi 1.2	on Revision Date: 02/10/2015	MSDS Number:Date of last issue: 12/02/201431606-00003Date of first issue: 11/24/2014		
	Explosive properties Oxidizing properties	: Not explosive : The substance or mixture is not classified as oxidizing.		
SECTION 10. STABILITY AND F		ACTIVITY		
Reactivity		: Not classified as a reactivity hazard.		
(Chemical stability	: Stable under normal conditions.		
Possibility of hazardous reactions		- : Can react with strong oxidizing agents.		
(Conditions to avoid	: None known.		
I	ncompatible materials	: Oxidizing agents		
ł	Hazardous decomposition	: No hazardous decomposition products are known.		

SECTION 11. TOXICOLOGICAL INFORMATION

products

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact				
Acute toxicity				
Not classified based on available	e information.			
Product:				
Acute oral toxicity :	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method			
Ingredients:				
Alcohols, C10-16, ethoxylated,				
Acute oral toxicity :	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity			
Cocoamidopropyl betaine:				
	LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials			
Acute dermal toxicity :	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials			



Version	Revision Date:	MSDS Nu
1.2	02/10/2015	31606-000

Number: Dat -00003 Dat

Date of last issue: 12/02/2014 Date of first issue: 11/24/2014

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

- Genotoxicity in vitro
- : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471



ersion .2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014			
		Result: negative Remarks: Base	e d on data from similar materials			
Genotoxicity in vivo		cytogenetic ass Species: Mouse Application Rou Result: negative	te: Ingestion			
Carci	nogenicity					
	lassified based on availa	No ingredient of th	is product present at levels greater than or entified as probable, possible or confirmed by IARC.			
OSH	Α		is product present at levels greater than or entified as a carcinogen or potential carcino-			
NTP			is product present at levels greater than or entified as a known or anticipated carcinoger			
Not cl Ingre Coco	oductive toxicity lassified based on availa <u>dients:</u> amidopropyl betaine: ts on fetal development	: Test Type: Emb Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414			
	-single exposure					
	lassified based on availa	idle information.				
	STOT-repeated exposure Not classified based on available information.					
	ated dose toxicitv					
Inare	ated dose toxicity					
Coco Speci NOAE Applio Expos Metho	ated dose toxicity dients: amidopropyl betaine: les: Rat EL: 250 mg/kg cation Route: Ingestion sure time: 90 d od: OECD Test Guideline arks: Based on data from					



ersion 2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
-	r ation toxicity lassified based on avail	able information.	
ECTION	12. ECOLOGICAL INF	ORMATION	
Ecoto	oxicity		
Сосо	dients: amidopropyl betaine: ity to fish	: LC50: > 1 - 10 r Exposure time: Method: ISO 73	96 h
Toxic	ity to bacteria		g/l Test Guideline 209 d on data from similar materials
Persi	stence and degradab	ility	
Prod	uct:		
Biode	gradability	: Result: Biodegr	adable
Ingre	dients:		
	nols, C10-16, ethoxyla gradability	ted, sulfates, sodiur : Result: Readily	
	amidopropyl betaine: gradability	: Result: Readily Biodegradation Exposure time: Method: OECD	: > 60 %
Bioad	cumulative potential		
No da	ata available		
	lity in soil		
No da	ata available		
Other	r adverse effects		
No da	ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
------------------	--

Waste from residues : Dispose of in accordance with local regulations.



Version	Revision Date: 02/10/2015	MSDS Number:	Date of last issue: 12/02/2014
1.2		31606-00003	Date of first issue: 11/24/2014
Conta	minated packaging		nused product. Irs should be taken to an approved waste r recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: No SARA Hazards
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know				
Water	7732-18-5	70 - 90 %		
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %		
Sodium chloride	7647-14-5	1 - 5 %		

New Jersey Right To Know



Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003		ast issue: 12/02/20 ïrst issue: 11/24/2	• • •
	Water Alcohols, (sodium sa Sodium ch		ılfates,	7732-18-5 68585-34-2 7647-14-5	70 - 90 % 1 - 5 % 1 - 5 %
	Cocoamid	opropyl betaine		61789-40-0	1 - 5 %
California Prop 65			nia to cause	ain any chemicals cancer, birth, or a	

The ingredients of this product are reported in the following inventories:

AICS : All ingre


: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Sources of key data used to	:
compile the Material Safety	
Data Sheet	

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, un-



Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

less specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8